



Global Recognition of eIDAS Trust Services & Audits

Marcin Szulga

Trust Services R&D Director Asseco Data Systems S.A.








Experience | Security | Trust



6 continents

where Certum's services are







of uninterrupted work



400 + business partners worldwide

10 milion +

issued certificates

1 milion +

Online signature/seals per month




240 bilion inquiries

about the status of Certum SSL certificates annually

The Asseco Group






Road to... compliance recognition



Quality/Compliance/
Reputation
awareness


TS business value awareness

Space for business growth




Example 1: Azerbaijani Digital Trade Hub





Example 2: Chinese investments in EU





Known issues with common understanding of QTS Audits



How to interprete unequal MS national rules?

What's the impact of local legislation?

elDAS, Art. 24

(d) by using other identification methods recognised at national level which provide equivalent assurance in terms of reliability to physical presence. The equivalent assurance shall be confirmed by a conformity assessment body.



Known issues with common understanding of QTS Audits



What are the incident reporting practices?

How does it impact for TSP/CAB rating?



EN 319 412-1

- 1) "PAS" for identification based on passport number.
- 2) "IDC" for identification based on national identity card number.
- "PNO" for identification based on (national) personal number (national civic registration number).
- 4) "TAX" for identification based on a personal tax reference number issued by a national tax authority. This value is **deprecated.** The value "TIN" should be used instead.
- 5) "TIN" Tax Identification Number according to the European Commission Tax and Customs Union (https://ec.europa.eu/taxation-customs/tin/tinByCountry.html). Or
- 6) Two characters according to local definition within the specified country and name registration authority, identifying a national scheme that is considered appropriate for national and European level, followed by the character ":" (colon).

Other initial character sequences are reserved for future amendments of the present document.

EXAMPLES: "PASSK-P3000180", "IDCBE-590082394654" and "EI:SE-200007292386".

Known issues with common understanding of QTS Audits




How to compare different CARs/TSPs (automatically)?

How long is a pointin-time audit good for?

SSL Report: www.assecods.pl (213.222.210.224)

Assessed on: Fri, 19 Oct 2018 15:09:16 UTC | Hide | Clear cache

Scan Another »



Thank you.

Marcin Szulga

Trust Services R&D Director

Marcin.Szulga@assecods.pl

Asseco Data Systems S.A.



The power of creation.

